

Nilex



FLAX IS GREAT, DON'T WAIT!





Company Profile

NileX

About Us

At NileX, we are a leading exporter of premium flax products, delivering exceptional quality to markets across the globe. With a commitment to sustainable sourcing and efficient logistics, we connect businesses with top-grade flax that meets international standards.

Our Services

Our team of experts specializes in managing every aspect of the export process, from product selection and quality assurance to shipping and delivery. We take pride in offering personalized solutions that cater to the unique needs of each client, ensuring timely and cost-effective services.



+201069813454



Shubra Milis., Zefta, Gharbia.
Egypt



info@nilexegypt.com



www.nilexegypt.com

PRODUCT CATALOGUE

FLAX RAW MATERIALS



NileX

SCUTCHED FLAX

- **HS Code:** 530121.
- **Fiber Length:** 80-90 cm.
- **Spinning Range :** Up to 20 NM.
- **Packaging:** Pressed in Bales.



NileX

RESCUTCHED TOW (ARROUS)

- **HS Code:** 530130.
- **Shives percentage:** 3% to 10%.
- **Spinning Range:** Up to 2 NM.
- **Packaging:** Pressed in Bales.



NileX

FLAX WASTE

- **HS Code:** 530130.
- **Shives Percentage:** < 20%.
- **Fiber Length:** < 8 cm.
- **Packaging:** Pressed in Bales.



NileX

HACKLED FLAX

- **HS Code:** 530129.
- **Color:** Natural.
- **Hackling Percentage:** 60-70%.
- **Packaging:** Pressed in Bales.



NileX

HACKLED/MACHINE TOW

- **HS Code:** 530129.
- **Color:** Natural.
- **Spinning Range :** Up to 5 NM.
- **Packaging:** Pressed in Bales.



NileX

FLAX SHIVES

- **The Wooden parts of the flax.**
- **HS Code:** 530100.
- **Color:** Natural.
- **Packaging:** Pressed in Bales.

PRODUCT CATALOGUE

HACKLING FLAX PRODUCTS



HACKLED FLAX SLIVER

- **HS Code:** 530129.
- **Hackling Percentage :** 60%-70%.
- **Sliver Density:** 30-35 g/m.
- **Spinning Range :** Up to 15 NM.
- **Packaging:** Bales of 50 kg.



HACKLED TOW SLIVER

- **Produced From** Short Flax Fibers.
- **HS Code:** 530129.
- **Sliver Density :** 30-35 g/m.
- **Spinning Range:** Up to 4 NM.
- **Packaging:** Bales of 20 kg.



FLAX DOLL (JOKIA)

- **HS Code:** 530129.
- **Packaging:**
 - 50 kg Bags.
 - Plastic Sack.
- **Weights:** 50-1000 g.



FLAX DOLL (TWO HEADS)

- **HS Code:** 530129.
- **Packaging:**
 - 50 kg Bags.
 - Plastic Sack.
- **Weights:** 50-1000 g.



FLAX DOLL (FOUR HEADS)

- **HS Code:** 530129.
- **Packaging:**
 - 50 kg Bags.
 - Plastic Sack.
- **Weights:** 50-1000 g.



FLAX DOLL (SIX HEADS)

- **HS Code:** 530129.
- **Packaging:**
 - 50 kg Bags.
 - Plastic Sack.
- **Weights:** 50-1000 g.

PRODUCT CATALOGUE

FLAX SPOOLS & BALLS



NileX

FLAX SPOOLS 20 G

- **Available** With Carton Dispenser.
- **Color:** Natural.
- **Sliver Weight:** 1.5 g/m.
- **Sliver Split Length:** 15 cm.
- **Packaging:** In Cartons.



NileX

FLAX SPOOLS 40 G

- **Available** With Carton Dispenser.
- **Color:** Natural.
- **Sliver Weight:** 1.5 g/m.
- **Sliver Split Length:** 15 cm.
- **Packaging:** In Cartons.



NileX

FLAX SPOOLS 80 G

- **Available** With Carton Dispenser.
- **Color:** Natural.
- **Sliver Weight:** 1.5 g/m.
- **Sliver Split Length:** 15 cm.
- **Packaging:** In Cartons.



NileX

FLAX SPOOLS 40 G

- **Available** With Plastic Dispenser.
- **Color:** Natural.
- **Sliver Weight:** 1.5 g/m.
- **Sliver Split Length:** 15 cm.
- **Packaging:** In Cartons.



NileX

FLAX SPOOLS 80 G

- **Available** With Plastic Dispenser.
- **Color:** Natural.
- **Sliver Weight:** 1.5 g/m.
- **Sliver Split Length:** 15 cm.
- **Packaging:** In Cartons.



NileX

FLAX BALLS

- **Color:** Natural.
- **Shape:** Single Ply or Twisted.
- **Spinning Range:** 0.2-5 Nm.
- **Weight:** 15-2500 g.
- **Packaging:** In Cartons.

PRODUCT CATALOGUE

OTHER FLAX PRODUCTS



NileX

FLAX BOBBINS

- **Length:** 10-27 cm.
- **Weight:** 0.5-8 kg.
- **Spinning Range:** 0.2-5 Nm.
- **Packing:** On pallets.



NileX

FLAX ROPES

- **From:** Long Fiber / Short Fiber.
- **Color:** Natural.
- **Diameter:** 6-40 mm.
- **Strands:** 3-5.



NileX

COTTONIZED FLAX

- **HS Code:** 530129.
- **Color:** Natural, or Bleached.
- **Fiber Length:** 20-40 mm.
- **Spinning Range:** < 35 Nm.

Please, contact us for more products

Sales Manager:

Mr. Hussein

Email:

sales@nilexegypt.com

NileX

Thank You



PLEASE, FEEL FREE TO CONTACT US

